


Tight construction joints

in concrete construction




SCHOMBURG

Waterproofing of construction joints in concrete construction

Construction joints in concrete construction are a well-known and often neglected weak spot. Ground-, seepage- and backwater can easily penetrate into the building and cause severe damage when such joints are not constructed in accordance with the regulations.


With the AQUAFIN®-CJ family of products SCHOMBURG now offers the ideal completion for the secure surface waterproofing with the AQUAFIN®- or COMBIFLEX®-waterproofing systems which are well-trying and reliable for years

AQUAFIN®-2K/M
AQUAFIN®-IC
COMBIFLEX®-C2
COMBIFLEX®-EL



The AQUAFIN®-CJ-system consists of a tested injection tube-PU-resin-system as well as efficient Betonite-water stops, one type even with a special rain protection coating for use in unfavorable weather conditions. In combination of both systems planners and users obtain an absolute „security joint“ even for heavy-duty service.

We shall be pleased to serve you with a specialised project consultation.




AQUAFIN®-CJ1

Single-wall tube system for the injection of AQUAFIN®-P4. The injection material comes out even at low pressure (0.5 bar).

AQUAFIN®-CJ2

Double-wall injection system for the injection of AQUAFIN®-P4 and other injection media – can be used for several injections.




AQUAFIN®-CJ3

Economic and safe Bentonite-water stops for joints, pressure waterproof upto 7 bar.

AQUAFIN®-CJ4

„All-weather“ Bentonite-water stops for joints with patented rain protection coating. Swells only after concreting.



AQUAFIN®-safety joint

Security joint – the combination AQUAFIN®-CJ3 or AQUAFIN®-CJ4 on the water side (8 cm minimum overlap) with the injection tube system AQUAFIN®-CJ1 or AQUAFIN®-CJ2 built-in at 5 cms distance fulfills all requirements to a secure construction joint waterproofing system.

AQUAFIN®-CJ

Important notes:

The information contained in this brochure at the time of issue is level of techniques and is only an excerpt. The valid technical leaflet data sheet is legally binding.

The general regulations of construction techniques are applicable which includes a thorough application of the materials.

The evaluation and pretreatment of the surface has to be done thoroughly and especially for restoration works with utmost care.

The SCHOMBURG GROUP, which includes SCHOMBURG, TEUTOBURG and RETHMEIER, is a national and international partnership for the production and distribution of high quality building product systems.

SCHOMBURG GmbH with its international partnerships focuses in the areas of

- Waterproofing and restoration
- Tile setting systems
- Industrial floor coating and water protection systems according to § 19 WHG (=water protection act)
- Coatings for water & wastewater structures

TEUTOBURG and RETHMEIER serve the market with products such as:

- Thermal insulation systems
- Coatings & stuccos for facades
- Products for the concrete industry

Professionals value the quality and affordability of our products, our commitment to service, and the firm technical foundation on which the group is built.

Our experienced sales staff provides technical advice and service throughout Germany while the distribution of our products is effected through professional wholesalers.

The know-how of the SCHOMBURG group is recognized and sought out everywhere, making it an integral part of world wide technology transfer.

We reserve the right to change the formulation of single products or to take single products out of our range of products due to latest technical development or knowledge after printing of this sales brochure.



SCHOMBURG *Building
Product Systems*

SCHOMBURG GmbH
Wiebuschstraße 2 - 8
D-32760 Detmold - Germany
phone (+ 49) 5231 953 00
fax (+ 49) 5231 953 108
e-mail export@schomburg.de
web www.schomburg.de

